

ACETAMINOPHEN (TYLENOL) DOSE

Give each dose every 4 to 6 hours as needed for fever/pain. Do not exceed 5 doses in 24 hours.

Weight	Age	Dose (mg)	Concentrated Tylenol Infant Drops (80 mg/0.8 ml)	Children's Tylenol Liquid (160 mg/1 tsp)	Children's Tylenol Chewable Tablets (80 mg)	Junior Strength Tylenol Chewable Tablets (160 mg)	Adult Tablets (325 mg)
6-11 lbs		40 mg	0.4 ml				
12-15 lbs		80 mg	0.8 ml	1/2 teaspoon			
16-23 lbs		120 mg	1.2 ml	3/4 teaspoon	1 tablet		
24-35 lbs	2-3 yrs	160 mg	1.6 ml	1 teaspoon	2 tablets		
36-47 lbs	4-5 yrs	240 mg		1 1/2 teaspoon	3 tablets		
48-59 lbs	6-8 yrs	320 mg		2 teaspoons	4 tablets	2 tablets	1 tablet
60-71 lbs	9-10 yrs	400 mg		2 1/2 teaspoons	5 tablets	2 1/2 tablets	1 tablet
72-95 lbs	11 yrs	480 mg		3 teaspoons	6 tablets	3 tablets	1 tablet

IBUPROFEN (MOTRIN) DOSE

Give each dose every 6 to 8 hours as needed for fever/pain. Do not exceed 4 doses in 24 hours.

Weight	Age	Dose (mg)	Concentrated Motrin Infant Drops (50 mg/1.25 ml)	Children's Motrin Liquid (100 mg/1 tsp)	Children's Motrin Chewable Tablets (50 mg)	Junior Strength Motrin Chewable Tablets (100 mg)	Adult Tablets (200 mg)
--------	-----	-----------	--	---	--	--	------------------------

DO NOT RECOMMEND FOR USE UNDER 6 MONTHS OF AGE

12-17 lbs	6-11 mos	50 mg	1.25 ml	1/2 teaspoon			
18-23 lbs	12-23 mos	75 mg	1.875 ml	3/4 teaspoon			
24-35 lbs	2-3 yrs	100 mg		1 teaspoon	2 tablets	1 tablet	
36-47 lbs	4-5 yrs	150 mg		1 1/2 teaspoon	3 tablets	1 tablet	
48-59 lbs	6-8 yrs	200 mg		2 teaspoons	4 tablets	2 tablets	1 tablet
60-71 lbs	9-10 yrs	250 mg		2 1/2 teaspoons	5 tablets	2 tablets	1 tablet
72-95 lbs	11 yrs	300 mg		3 teaspoons	6 tablets	3 tablets	1 tablet